SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

I.I Product identifier:

SILOXASFEVEBW, SILOXASFEVET

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Barrier (Sealant)

1.3 Details of the supplier of the safety data sheet

Siloxa Building Chemicals

The Office

Three Pillars Business Park

Sutton-in-the-Isle

Cambridgeshire

CB6 2RU

1.4 Emergency telephone number: 07970287971

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2 Label elements

GB CLP Regulation

Precautionary statements

P102 Keep out of reach of children.

Special labelling of certain mixtures

EUH208 Contains OIT, 3-Aminopropyltriethoxysilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Additional advice on labelling

OIT(2-Octyl-2H-isothiazole-3-on) is encapsulated in the mixture and therefore only available in a small amount freely. In a mixture with similar composition there was no hint of a sensitizing effect in the Buehler test (OECD No. 406). A classification of this silicone with GHS 07 / Warning / H317 is not intended.

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This article doesn't contain hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

SECTION 3: Composition/information on ingredients

3.1 Mixtures

Hazardous components

| CAS No | Chemical name | | | Quantity | |
|-------------|---|--------------------------------|------------------|-------------|--|
| | EC No | Index No | REACH No | | |
| | GHS Classification | | | | |
| | Hydrocarbons, C15-C20, n-Alkanes, Isoalkanes, Cyclic compounds, < 0,03 % Aromatics | | | | |
| | 934-956-3 | | 01-2119827000-58 | | |
| | Asp. Tox. 1; H304 | | | | |
| 128446-60-6 | 3-Aminopropyl(methyl)silsesquioxane, ethoxy-terminated | | | I - 3 % | |
| | Flam. Liq. 3, | Skin Irrit. 2, Eye Irrit. 2; H | H226 H315 H319 | | |
| 37859-55-5 | 2-Pentanone O,O',O"-(methylsilylidyn)trioxime | | | I - 2 % | |
| | 484-460-I | | 01-2120004323-76 | | |
| | Acute Tox. 4, Eye Irrit. 2; H302 H319 | | | | |
| 919-30-2 | 3-aminopropyltriethoxysilane | | | 0,1 - 0,5 % | |
| | 213-048-4 | 612-108-00-0 | 01-2119513215-52 | | |
| | Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1; H302 H314 H317 | | | | |
| 26530-20-I | octhilinone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT] | | | 0 - 0,02 % | |
| | 247-761-7 | 613-112-00-5 | | | |
| | Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | | |
|------------|--|---|-------------|--|--|--|
| | Specific Cor | fic Conc. Limits, M-factors and ATE | | | | |
| | 934-956-3 | Hydrocarbons, C15-C20, n-Alkanes, Isoalkanes, Cyclic compounds, < 0,03 % Aromatics | 10 - 30 % | | | |
| | inhalation: L mg/kg | C50 = > 5266 mg/l (vapours); dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 5000 | | | | |
| 37859-55-5 | 484-460-1 | 2-Pentanone O,O',O"-(methylsilylidyn)trioxime | I - 2 % | | | |
| | oral: ATE = | 500 mg/kg | | | | |
| 919-30-2 | 213-048-4 | 3-aminopropyltriethoxysilane | 0,1 - 0,5 % | | | |
| | dermal: LD50 = 3800 mg/kg; oral: LD50 = 1780 mg/kg | | | | | |
| 26530-20-1 | 247-761-7 | octhilinone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT] | 0 - 0,02 % | | | |
| | | ATE 0,27 mg/kg (dusts or mists); dermal: ATE 311 mg/kg; oral: ATE 125 mg/kg Skin 317: >= 0,0015 - 100 | | | | |
| | M acute; H400: M=100 | | | | | |
| | M chron.; H410: M=100 | | | | | |

Further Information

SECTION 4: First aid measures

4.1 Description of first aid measures General information

After curing, product is odourless and indifferent.

After inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

After contact with skin

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3 Indication of any immediate medical attention and special treatment needed

not applicable

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray jet. Foam. Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products.

5.3 Advice for firefighters

Use suitable breathing apparatus. Protective clothing.

SECTION 6: Accidental release measure

6.1 Personal precautions, protective equipment and emergency procedures General advice

Personal protection equipment: see section 8

For non-emergency personnel

No special measures are necessary.

For emergency responders

No special measures are necessary.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up For containment

Take up mechanically. After curing, product can be disposed of with domestic or commercial waste.

Non-cured material has to be handled as special waste.

For cleaning up

Clean with a cloth immediatly. After curing, the product can be removed in most cases only mechanically.

Other information

Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

Personal protection equipment: see section 8 Disposal: see section 13

Safe handling: see section 7

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling

Ensure sufficient ventilation.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

7.2 Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels

Keep/Store only in original container. Ensure adequate ventilation of the storage area. Avoid high temperatures or direct sunlight.

7.3 Specific end use(s)

No Data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2 Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection

Hand protection

Recommended glove material: E.g. butyl gloves, nitrile gloves Recommended glove thickness: > 0,4 mm

Permeation time (maximum wear duration): > 1 h.

Skin protection

Protective clothing.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

not applicable

SECTION 9: Physical and chemical properties

Melting point/freezing point:

9.1 Information on basic physical and chemical properties

Physical state: Paste

Colour: various

Odour: characteristic

Odour threshold: not determined

Changes in the physical state Test Method

Boiling point or initial boiling point and boiling range: not determined

Sublimation point: not applicable

Softening point: not determined

Flash point: > 150 °C DIN ISO 2592

Lower explosion limits: not applicable

Upper explosion limits: not applicable

Auto-ignition temperature: not determined

Decomposition temperature: not determined

pH-Value: not applicable

Viscosity / dynamic: not determined

Viscosity / kinematic: (at 40 °C): > 1000 mm²/s ISO 3219

Water solubility: The study does not need to be conducted because

the substance is known to be insoluble in water.

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Density: ca. 1,0 g/cm³

9.2 Other information

Information with regard to physical hazard classes

Sustaining combustion:

No data available

Other safety characteristics

Solvent content: VOC: < 30 g/l (2004/42 EG)

VOC (CH): < 30 g/kg

not applicable

Further Information: not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is stable under storage at normal ambient temperatures.

10.2 Chemical stability

Stable under recommended storage and handling conditions.

10.3 Possibility of hazardous reactions

May form hazardous decomposition products when exposed to high temperatures.

10.4 Conditions to avoid

Avoid high temperatures or direct sunlight. Protect from moisture.

10.5 Incompatible materials

Acid. Oxidising agent, strong. Reducing agent, strong. Water.

10.6 Hazardous decomposition products

Hazardous combustion products

SECTION 11: Toxicological information

II.I Information on hazard classes as defined in GB CLP Regulation Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | | | |
|------------|--|-------------------|---------|--------|----------|--|--|--|
| | Exposure route | Dose | Species | Source | Method | | | |
| | Hydrocarbons, C15-C20, n-Alkanes, Isoalkanes, Cyclic compounds, < 0,03 % Aromatics | | | | | | | |
| | oral | LD50 > 5000 mg/kg | rat | | OECD 401 | | | |
| | dermal | LD50 > 3160 mg/kg | rabbit | | OECD 402 | | | |
| | inhalation (4 h) vapour | LC50 > 5266 mg/l | | | | | | |
| 37859-55-5 | 2-Pentanone O,O',O"-(methylsilylidyn)trioxime | | | | | | | |
| | oral | ATE 500 mg/kg | | | | | | |
| 919-30-2 | 3-aminopropyltriethoxysilane | | | | | | | |
| | oral | LD50 1780 mg/kg | Rat | RTECS | | | | |
| | dermal | LD50 3800 mg/kg | Rabbit | RTECS | | | | |
| 26530-20-I | octhilinone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT] | | | | | | | |
| | oral | ATE 125 mg/kg | | | | | | |
| | dermal | ATE 311 mg/kg | | | | | | |
| | inhalation dust/mist | ATE 0,27 mg/kg | | | | | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains OIT, 3-Aminopropyltriethoxysilane. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Other information

No data available

SECTION 12: Ecological information

12.1 Toxicity

| CAS No | Chemical name | | | | | | |
|------------|--|--------------------|-----------|------------------------------------|----------|-------------|--|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method | |
| | Hydrocarbons, C15-C20, n-Alkanes, Isoalkanes, Cyclic compounds, < 0,03 % Aromatics | | | | | | |
| | Acute fish toxicity | LL50 > 1028 mg/l | 96 h | Scophtalamus maximus | | OECD 203 | |
| | Acute algae toxicity | ErC5 > 100000 mg/l | 72 h | Skeletonema costatum | | ISO 10253 | |
| | Acute crustacea toxicity | EL50 > 3193 mg/l | 48 h | Acartia tonsa | | ISO 14669 | |
| 37859-55-5 | 2-Pentanone O,O',O"-(methylsilylidyn)trioxime | | | | | | |
| | Acute fish toxicity | LC5 > 113 mg/l | 96 h | Oncorhynchus mykiss | OECD 203 | read-across | |
| | Acute algae toxicity | ErC50 100 mg/l | 72 h | Pseudokirchneriella subcapitata | OECD 201 | read-across | |
| | Acute crustacea toxicity | EC50 > 113 mg/l | 48 h | Daphnia magna | OECD 202 | read-across | |
| 919-30-2 | 3-aminopropyltriethoxysilane | | | | | | |
| | Acute algae toxicity | ErC50 603 mg/l | 72 h | Desmodesmus subspicatus | | | |
| | Acute crustacea toxicity | EC50 331 mg/l | 48 h | Daphnia magna | | | |

12.2 Persistence and degradability

Poorly biodegradable.

| CAS No | Chemical name | | | | | |
|--------|--|-------|----|--------|--|--|
| | Method | Value | d | Source | | |
| | Evaluation | | | | | |
| | Hydrocarbons, C15-C20, n-Alkanes, Isoalkanes, Cyclic compounds, < 0,03 % Aromatics | | | | | |
| | OECD 306 | 74 % | 28 | | | |
| | Leicht biologisch abbaubar | | | | | |

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|---|---------|
| 37859-55-5 | 2-Pentanone O,O',O"-(methylsilylidyn)trioxime | 1,25 |
| 919-30-2 | 3-aminopropyltriethoxysilane | 0,3 l |

12.4 Mobility in soil

practically insoluble

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No data available

12.7 Other adverse effects

No indication of other harmful effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Disposal recommendations

After curing, product can be disposed of with domestic or commercial waste. Non-cured material has to be handled as special waste.

List of Wastes Code - contaminated packaging

080410

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND

PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packaging

The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

- 14.1 UN number or ID number: No dangerous good in sense of this transport regulation.
- 14.2 UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3 Transport hazard class(es): No dangerous good in sense of this transport regulation.
- **14.4** Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1 UN number or ID number: No dangerous good in sense of this transport regulation.

Siloxa Building Chemicals, The Office, Three Pillars Business Park, Station Road, Sutton-in-the-Isle, Cambridgeshire CB6 2RU, siloxa.co.uk

- 14.2 UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3 Transport hazard class(es): No dangerous good in sense of this transport regulation.
- **14.4** Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

- **14.1 UN number or ID number:** No dangerous good in sense of this transport regulation.
- 14.2 UN proper shipping name: No dangerous good in sense of this transport regulation.
- 14.3 Transport hazard class(es): No dangerous good in sense of this transport regulation.
- **14.4** Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

- 14.1 UN number or ID number: No dangerous good in sense of this transport regulation.
- **14.2 UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3 Transport hazard class(es): No dangerous good in sense of this transport regulation
- **14.4** Packing group: No dangerous good in sense of this transport regulation
- 14.5 Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6 Special precautions for user

No dangerous good in sense of this transport regulation.

14.7 Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 40, Entry 75

Additional information

Biocidal Products Regulation (EU 528/2012): "Contains a biocide: OIT. May produce an allergic reaction."

National regulatory information

Water hazard class (D): I - slightly hazardous to water

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2.

Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- EUH208Contains OIT, 3-Aminopropyltriethoxysilane. May produce an allergic reaction.
- EUH210 Safety data sheet available on request.

Further Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet)