

i *Product Performance - BS EN 14351-1:2006 encompasses corrosion resistance, requirements and testing methods for building hardware.*

ZZR Window Screws are independently Salt Spray Tested by a UKAS certified laboratory in accordance with BS EN ISO 9227:2012 & evaluated in accordance with BS EN 1670:2007 as highlighted in BS7412 B.3 Corrosion Resistance.

Whizzle Ltd declares that all products within the ZZR Window Fabrication Screw range conform to the guidelines detailed within BS EN 14351-1:2006.

ZZR Steel, Zinc Plated screws are tested to a minimum of 240hrs SST - Grade 4: Very High Corrosion Resistance. Test report LR139829 available upon request.

ZZR A2 Stainless Steel screws are tested to a minimum of 504hrs SST - Grade 4: Very High Corrosion Resistance. Test report LR147675 available upon request.

ZZR 410 Stainless Steel screws are tested to a minimum of 504hrs SST - Grade 4: Very High Corrosion Resistance. Test report LR145772 available upon request.

i *CE Marking - EN14351-1:2006*

From 1st July 2013 it became mandatory for suppliers of construction products that have a harmonised European standard to apply CE marking where applicable.

The ZZR range of fabrication, baypole and masonry screws are not covered by a harmonised European standard and therefore do not require CE marking however as per EN14351-1:2006 we are able to show full compliance as detailed below.

i *Clause 4.6 Dangerous Substances.*

Whizzle Ltd declare that in accordance with EN14351-1:2006 the products detailed below do not contain materials that are liable to emission or migration during normal intended use and for which emission or migration into the environment is potentially dangerous to hygiene, health or the environment.

ZZR Window Fabrication Screws

ZZR Baypole Screws

ZZR Masonry Screws

Chipboard Screws (CE certified)

Woodscrews (CE certified)

Drywall Screws (CE certified)

i *BS EN ISO9001:2008 - Certificate Number 15178*

Whizzle Ltd operates a quality system of procedures for distribution of our range of products and a copy of the certificate is available upon request.